

Welcome to Stratus

Thank you for choosing Stratus Lantern Roofs for your lantern supplier.
We are confident that you will be very satisfied with the services that we offer.

The information enclosed will help you make the most of your products and services.

If you have any question, please contact me or your account manager.

As your needs change, we will be happy to help and work with you to evaluate your needs
and product offering to achieve your goals.


Again, thank you for choosing Stratus Lantern Roofs.

Sincerely
Chloe McGrath
Brand Manager for Stratus Lantern Roofs



The purpose designed Stratus aluminium roof lantern system is discreet yet stylish. Stratus allows light to flood into the home's interior, the ideal modern roof lantern solution, coupling sleek contemporary looks with truly outstanding performance.

Stratus aluminium roof lanterns provide excellent thermal performance while delivering the architectural refinement you'd expect of a high end lantern system.



Features and Benefits:

- Up to 65% more thermally efficient than conventional aluminium roof systems.
- Fixed at 20° pitch this allows the system to use the incredibly discreet purpose designed top caps and internal covers, without unsightly gaps to rafter ends.
- 66% smaller ridge than standard systems for beautiful aesthetics.
- Hard wearing aluminium exterior for a premium, architectural look.
- Quick and easy to install - less time on site means less disruption for homeowners.

How to order?

1. Complete a order form

Send completed order forms to orders@stratus-lantern.co.uk

The order form is in this pack.

2. Sign off the order

Happy to proceed with an order?

Please sign the order confirmation and send back to orders@stratus-lantern.co.uk

3. Order Confirmed

Once your signed order confirmation has been returned, we will process your order and you will receive a Sales Order Confirmation which will confirm all your order details e.g. delivery date and glass sizes.

The Stratus Thermal Lantern Roof is now
available in any RAL colour



- Option for any colour combination on internal and external faces
- Standard Colours: Anthracite Grey (RAL 7016), Crisp White (RAL 9016)
- Innovative fully thermally broken lantern roof system
- Stratus is discreet, yet stylish with sizes up to 3m x 6m

Lead time:

- Standard - 5 working days
- Any RAL Colour - 10 working days

Pyramid Roof Lantern!



- The pyramid/ square roof lantern offers an ideal solution where there is no other opportunity to add natural light e.g. an inner hall or stairwell.
- The pyramid Stratus aluminium roof lantern system is discreet yet stylish.
- Stratus aluminium roof lanterns provide excellent thermal performance
- Delivers the architectural refinement you'd expect of a high end lantern system.
- Minimum size 600 x 600mm & Maximum size 2000mm x 2000mm
- Measure to external face of timber support.
- Available in Standard colours (Crisp White & Anthracite Grey) and any RAL Colour.

Celsius Glass Range

One of the first performance glass products available for domestic roofs. With 'Easy Clean' technology included as standard, your glass will require much less maintenance. Whether large or small, simple or complex, sheltered or exposed, Celsius offers the complete high performance glazing solution for your conservatory

Climate Range Glass details:

- **Celsius One** - With its blue tint and enhanced abilities, Celsius One sets a new standard in performance glazing.
- **Celsius Elite** - With its blue tint and improved abilities, Celsius Elite is the ultimate in performance glazing.
- **Celsius Clear** - Is a neutral tinted glass ideally suited roof installations where natural light is low or required.

Celsius Sealed Units (4-16-4)

	Tier 4	Tier 3	Tier 2
	Celsius Elite	Celsius One	Celsius Clear
U-Value	0.9	1.0	1.0
Light Transmission	34%	38%	61%
Solar Rejection	83%	83%	58%
UV Protection/Rejection	94%	94%	73%
Cleaning	Easy Clean	Easy Clean	Easy Clean
Colour tints	Blue	Celsius Blue	Neutral



*Neutral coating gives a slightly brown appearance



U-Value

U-value measures internal heat loss, the lower the number, the greater the insulation.



Light Transmission

Celsius glass softens the impact of natural light through the roof of your lantern, for increased comfort.



Solar Rejection

Celsius glass reflects approx 3 times more solar energy than standard glass.



UV Protection/Rejection

Reduces the effect of harmful UV rays allowing greater protection of your furniture and fabrics.



Colour tints

Available in blue and clear.



Cleaning

The easy clean coating prevents organic contaminants from adhering to the glass, allowing rainwater to wash these away, greatly reducing the maintenance required.

Useful Links

Technical Support

Contact details for the technical support are: 01200 452904 or technical@stratus-lantern.co.uk
For help on technical info, specifying and installation

Videos

The Stratus Lantern retail video and installation video can be provided standard or personalised with your company logo. The promotional video can be used for your website and a short installation video can be used on site. These can be found on our youtube channel.

Contact the marketing department for a copy marketing@stratus-lantern.co.uk

Brochures

The Stratus brochures can be found online at www.stratus-lantern.co.uk
To order any brochures, contact marketing@stratus-lantern.co.uk

Quotes and Orders

To get a quote or order, send the completed order form to orders@stratus-lantern.co.uk

Image Database

The image database is a resource which holds all of our images, brochures and videos. Contact the marketing department for access, marketing@stratus-lantern.co.uk

Website

Stratus has a range of resources which you can use on your website to promote the brand and your company. For more information, contact the marketing department on marketing@stratus-lantern.co.uk


Marketing Support

The purpose designed Stratus aluminium roof lantern system is discreet yet stylish. Stratus allows light to flood into the home's interior, the ideal modern roof lantern solution, coupling sleek contemporary looks with truly outstanding performance. For any of the below, please email marketing@stratus-lantern.co.uk

Brochures



Retail Brochure
 Code: XLAN-RB
 Price: £9.91 (pack of 25)



Installation Guide
 Code: XLAN-IG
 Price: £6.77 (pack of 25)




Product Leaflet




Design Guide



Wall Chart



Order Form



Presentation



Price Guide



Retail Video
 Standard and personalised version available.
 Price: FOC



Installation Video
 Standard and personalised version available.
 Price: FOC

Samples



Lantern Sample
 Code: XLAN-SAMS
 Price: £136.77



Lantern Sample and Stand
 Code: XLAN-SAMSS
 Price: £300.19
 Rough Size: 500 x 500 x 750 (height)



Lantern Sample Case
 Code: XLAN-SAM
 Price: £120.00

Point of Sale



Wall Board 2m x 1m
 Price: £117.00

Prices effective from*****. All prices are £ sterling and exclude VAT. This publication is for guidance only. The Stratus computer system is the final arbiter on price.